
HOT WATER PRODUCTION AND STORAGE TANKS GEISER INERTIA - **SINGLE COIL**

lapesa



PRODUCT TECHNICAL SPECIFICATION GEISER INERTIA – **G1500ISF**

FCP_049_06_EN-01



DESCRIPTION:

Carbon steel **BUFFER TANK**, for closed heating or cooling circuits, equipped with **COIL** for intermediate heating. For vertical installation on floor. Tank includes mould-injected **rigid PU thermal insulation**. Optionally, a kit of external padded PVC lining with zip closure, to be supplied in separate packaging unmounted. Tank also includes one side threaded connection for an optional electrical heating element.

	MAIN CHARACTERISTICS		
Total capacity:	Total	1500	L
Maximum working pressure:	Coil / Tank	25 / 6	bar
Maximum working temperature:	Coil / Tank	200 / 110	°C
Exchange surface:	Coil	3.0	m²
Connections:	eh: side connection	1 1/2	" F
	p: upper connection	1	" M
	tm: sensor connections	1/2	" F
	R: side connection for electric element	2	" F
Energy efficiency:	ErP Class	С	
	Static heat losses acc. to EN12897	156	W
External dimensions:	D: Diameter	1160	mm
	H: Height (without connections)	2320	mm
	Diagonal (without connections)	2593	mm
Packaging dimensions:	Width / Height	1160 / 2320	mm
Weight:	Without packaging / With packaging	339 / 343	kg

