
HOT WATER PRODUCTION AND STORAGE TANKS GEISER INERTIA - **STORAGE**





PRODUCT TECHNICAL SPECIFICATION GEISER INERTIA – **GX4-800IF**

FCP_053_07_EN-01





DESCRIPTION:

Stainless steel BUFFER TANK, for closed heating and cooling circuits.

For vertical installation on floor. Manufactured in **STAINLESS STEEL AISI 304**. Tank includes mould-injected **rigid PU**, with removable insulation system allows the tank to access through 800 mm wide doors, and padded PVC lining with zip closure. Tank also includes one side threaded connection for an optional electrical heating element.

Total	800	L
	6	bar
	110	°C
eh: side connection	1 ½	" F
p: upper connection	1	" N
tm: sensor connections	1/2	" F
R: side connection for electric element	2	" F
ErP Class	С	
Static heat losses acc. to EN12897	99	W
D: Diameter	950	mn
H: Height (without connections)	1840	mr
Diagonal (without connections)	2070	mn
Width / Height	1030 x 1000 / 2040	mn
Without packaging / With packaging	128 / 153	kg
	eh: side connection p: upper connection tm: sensor connections R: side connection for electric element ErP Class Static heat losses acc. to EN12897 D: Diameter H: Height (without connections) Diagonal (without connections) Width / Height	eh: side connection p: upper connection tm: sensor connections R: side connection for electric element ErP Class C Static heat losses acc. to EN12897 D: Diameter H: Height (without connections) Diagonal (without connections) Width / Height 1030 x 1000 / 2040

